**Vista paint** 

9400

## Interior / Exterior 100% Acrylic Enamel Finish Architectural Coating - Premium Plus

### **Description**

Carefree Semi-Gloss is a premium plus 100% acrylic enamel for interior and exterior surfaces. This top-of-the- line enamel provides block resistance with excellent scrubbability and durability and is formulated to withstand moderate to severe weather conditions. Excellent choice for use in food and beverage areas, restrooms, doors, trim and exterior substrates where a superior semi-gloss finish is desired. NOT FOR USE ON FOOD CONTACT SURFACES. Carefree can be used in areas where oil based products were previously required. NOTE: This product contains ingredients which resist the growth of mircrobes on the surface of the paint film.

### Recommended Uses

Properly primed drywall, concrete, masonry, wood and metal.

#### Colors

White, stock colors and custom colors to order Bases: A. D. H. & M

### **Packaging**

Quart, one and five gallon containers

#### Finish

Semi-Gloss, sheen at 60° = 60.0 - 64.0%

# Surface Preparation

Surfaces must be clean, dry and free from all contaminants that may impair adhesion. Glossy or slick surfaces must be scuff sanded prior to application of paint coatings and may require priming.

#### <u>Primer</u>

Metal Galvanized:

Drywall (New): 1100 Hi-Build Sealer 8000 Carefree Prime-ZALL

Drywall (Existing): 4000 Uniprime

8000 Carefree Prime-ZALL

Concrete/Masonry: 4600 Uniprime II

8000 Carefree Prime-ZALL

Wood (Interior): 6600 AquaLac Undercoat

8000 Carefree Prime-ZALL 4000 Uniorime

Wood (Exterior): 4000 Uniprime

8000 Carefree Prime-ZALL

Metal Non-Galvanized: 8600 Polytec Primer 9600 Protec Metal Prime

8600 Polytec Primer

4800 Metal Pro Primer

Aluminum: 8600 Polytec Primer

### **Application**

Brush, roll or spray. Ambient and surface temperatures must be above 50°F and relative humidity below 80%. Clean tools and equipment with soap and water.

# **Drying Time**

Touch: 2 hours Recoat: 8 hours

#### Coverage

Up to 375 square feet per gallon, depending on porosity and texture of the surface.

### **Thickness**

Wet = 4.2 mil Dry = 1.4 mil

### **Thinning**

Use at package consistency. If thinning is required, use water sparingly.

### **Composition**

Titanium Dioxide 20.3% Extenders 1.4% TOTAL PIGMENT 21.7%

 Acrylic Resin
 19.5%

 Additives
 4.6%

 Water
 54.2%

 TOTAL VEHICLE
 78.3%

Weights & Measurements +/-3.0%

Solids by Volume: 35.0%
Solids by Weight: 47.7%
VOC: 44 g/l
Weight Per Gal: 10.7 lbs.
Viscosity: 96 - 100 KU

# Conformance

SCAQMD - complies with Rule 1113, Architectural Coatings.

**LEED** - complies with LEEDv4

**CDPH Section 01350** - Standard Method V1.2 2017 **MPI** - #11, #54, #54 X-Green, #141, #153, #163, #311



Products bearing this logo are Non-EG Certified. Ethylene Glycol (EG), is listed as a toxic air contaminant and hazardous pollutant. EG is a solvent used in some water-based paints. Vista Paint has replaced EG with non-toxic alternative solvents. Any Vista Paint product with this logo is formulated without EG (Non-EG).



Vista Paint is the industry leader when it comes to relying on renewable energy. At Vista Paint, our products are manufactured using 100% solar energy.

Last Updated 04.2024

DISCLAIMER: To the best of our knowledge, the technical data contained herein are true and accurate at the date of issuance and offered in good faith. All technical information is subject to change without prior notice. This product is guaranteed to give satisfactory performance if applied and used in accordance with the label instructions. Any liability shall be limited to a refund of the purchase price, or replacement of this product. This warranty does not include labor or cost of labor for the application of any coating. All express and all implied warranties are hereby disclaimed and excluded including all implied warranties are hereby disclaimed and excluded including all implied warranties of the nereby disclaimed and excluded including all implied warranties of the suit ability of product or intended use is the sole responsibility of the user. Additional information may be obtained from your local sales representative.