

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Product Code Product Class Recommended use Restrictions on use

DURACRETE WHITE .2500 WATER THINNED PAINT Paint No information available

Manufacturer Vista Paint Corporation 2020 E. Orangethorpe Ave. Fullerton, CA 92831 (714) 680-3800

Emergency Telephone Number(s): (800) 535-5053 (Infotrac)

2. HAZARD(S) IDENTIFICATION				
GHS Pictograms:				
Signal Word:	Danger			
GHS Classifications:	Eye Irritation Skin Irritation Carcinogenicity	Category 2A Category 2 Category 1A		
Hazard Statements:	 H319 – Causes serious eye irritation H315 – Causes skin irritation H350i – May cause cancer by inhalation 			
Precautionary Statements:				
	Prevention			
	P103 – Read label k			
		ial instructions before use. le until all safety precautions have been read and	Ь	
	understood.		a	
	P261 – Avoid breath	ning dust/fume/gas/mist/vapors/spray.		
		thoroughly after handling.		
	-	e to the environment.		
		tive gloves / eye protection / face protection. adequate ventilation wear respiratory protection.		
	Response			
		allowed: Immediately call a poison center or tor/physician.		
		posed or concerned: Get medical advice/attentio	n.	
	P320 + P352 – If on	skin: Wash with plenty of water		

	 P332 + P313 – If skin irritation occurs: Get medical advice/attention. P362 + P364 – Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 – If in eyes: Rinse cautiously with water for several minutes. Remove contact lens, if present and easy to do. Continue rinsing. P337 + P313 – If eye irritation persists: Get medical advice/attention Storage
	P405 – Store locked up.
	Disposal P501 – Dispose of contents/container in accordance with local/state/federal regulations.
HNOC:	Not Applicable
Other information:	No Information Available

3. COMPOSITION INFORMATION ON COMPONENTS

Hazardous Component	CAS Number	Weight %
Titanium Dioxide	13463-67-7	14.44
Limestone	1317-65-3	4.40
Cristobalite (SiO2)	14464-46-1	1.47

4. FIRST AID MEASURES

General Advice:	No hazards which require special first aid measures.
Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact:	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation:	Move to fresh air. If symptoms persist, call a physician.
Ingestion:	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
Most Important Symptoms/Effects:	None known.
Notes To Physician:	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Protective Equipment And Precautions For Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Closed containers may rupture if exposed to fire or extreme heat

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Prevent further leakage or spillage if safe to do so.		
Other Information:			
Environmental Precautions:	See Section 12 for additional Ecological Information.		
Methods For Clean-Up:	Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.		
	7. HANDLING AND STORAGE		
Handling:	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.		
Storage:	Keep container tightly closed. Keep out of the reach of children. Keep from		

Incompatible Materials: No

No information available

freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits

			AGCIH LV/TWA	с ти	OSHA Expo VA	sure Limi ST		Vapor Pressure
REPORTABLE COMPONENTS	CAS NUMBER	%WT	РРМ	PPM	MG/M3	PPM	MG/M3	mm Hg @20° C
Titanium Dioxide	13463-67-7	14.44	10	-	10	-	-	-
Limestone	1317-65-3	4.40	-	-	15	-	-	-
Cristobalite (SiO2)	14464-46-1	1.47	.025	-	-	-	.050	-

Eye/Face Protection: Safety glasses with side-shields.

Skin Protection Protective gloves and impervious clothing.

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment. When sanding or abrading the dried paint film, wear a dust / mist respirator approved by NIOSH/MSHA for dust which may be generated from this product, underlying paint, or the abrasive material itself.

Engineering Measures: Ensure adequate ventilation, especially in confined areas.

Product Name: DURACRETE WHITE Product Code: .2500 Vista Paint Corporation

Hygiene Measures:

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor **Odor Threshold** bΗ Freezing Point (°F) Boiling Point (°F) Flash Point (°F) **Flash Point Method Evaporation Rate** Flammability (solid, gas) **Upper Explosion Limit** Lower Explosion Limit **Vapor Pressure** Vapor Density Density (lbs./gal) Specific Gravity Solubility Water Solubility Partition Coefficient (n-octanol/water) Autoignition Temperature (°F) **Decomposition Temperature (°F)** Viscosity (cps) Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles **Coating VOC Material VOC**

Liquid I ittle or no odor No information available No information available 32 °F 212 °F Not applicable Not applicable No information available Not applicable Not applicable Not applicable No information available No information available 11.24 1.35 No information available 49.16 32.38 50.84 67.62 34.99 g/l 11.75 g/l

10. STABILITY AND REACTIVITY

Reactivity	Not Applicable
Chemical Stability	Stable under normal conditions.
Possibility Of Hazardous Reactions	None under normal conditions of use.
Conditions To Avoid	Prevent from freezing
Incompatible Materials	No materials to be especially mentioned.
Hazardous Decomposition Products	None under normal use.

11. TOXICOLOGICAL INFORMATION

Principal Routes of Exposure:

Eye contact, skin contact and inhalation.

No information available

Acute Toxicity: Product Name: DURACRETE WHITE Product Code: .2500

Vista Paint Corporation

Page 4 of 7

Symptoms	No information available
Eye contact	May cause slight irritation.
Skin contact	Substance may cause slight skin irritation. Prolonged or repeated contact may dry skin and cause irritation.
Inhalation	May cause irritation of respiratory tract.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Sensitization:	No information available
Neurological Effects	No information available.
Mutagenic Effects	No information available.
Reproductive Effects	No information available.
Developmental Effects	No information available.
Target Organ Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Other adverse effects	No information available.
Aspiration Hazard	No information available

Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen:.

Chemical Name	IARC	NTP	OSHA Carcinogen	
Titanium Dioxide	2B - Possible Human			
	Carcinogen			
Crystalling Silica, Bespirable	1 – Carcinogenic to	Known Carsingson	Listed	
Crystalline Silica, Respirable	Humans	Known Carcinogen	Listed	

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer NTP - National Toxicity Program OSHA - Occupational Safety & Health Administration

12. ECOLOGICAL INFORMATION

Vista Paint Corporation

Ecotoxicity Effects	The environmental impact of this product has not been fully investigated.
Acute Toxicity to Fish (Titanium Dioxide)	LC50: > 1000 mg/L (Fathead Minnow - 96 hr.)
Acute Toxicity to Aquatic Invertebrates	No information available
Acute Toxicity to Aquatic Plants	No information available
Persistence / Degradability	No information available
Bioaccumulation / Accumulation	No information available
Mobility in Environmental Media	No information available
Ozone	No information available

13. DISPOSAL CONSIDERATIONS

Waste	Disposal	Method
-------	----------	--------

Dispose of in accordance with federal, state, provincial, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.

14.	TRANSPOR	INFORMATION
-----	----------	--------------------

DOT	Not regulated

ICAO / IATA Not regulated

IMDG / IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA: United States	Yes - All components are listed or exempt.		
DSL: Canada	Yes - All components are listed or exempt.		

Federal Regulations

SARA 311/312 hazardous categorization

Please refer to Section 2 of the SDS for the appropriate EPCRA 311/312 hazard categories.

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). If listed in the table below, this product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

<u>Chemical Name</u> None	<u>CAS Number</u> None	
Product Name: DURACRETE WHITE	Vista Paint Corporation	
Product Code: .2500		

Page 6 of 7

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

Unless listed below, this product does not contain HAPs at 1% or 0.1% or greater. Refer to Section 3 for HAP weight percentage:

Chemical	Name
None	

CAS Number None

State Regulations

California Proposition 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm at levels less than required for reporting (<0.1%) unless listed in Section 3.

16. OTHER INFORMATION					
<u>HMIS</u>	Health: 1*	Flammability: 0	Reactivity: 0	PPE: X	
<u>NFPA</u> :	Health: 1	Flammability: 0	Instability: 0		
Prepared By		2020 East Ora Fullerton, CA	Vista Paint Corporation 2020 East Orangethorpe Avenue Fullerton, CA 92831 (714) 680-3800		
Print Date:		07/05/2023	07/05/2023		
Revision Date:		05/30/2023	05/30/2023		
Revision Summary:		Formulation ch	Formulation change		

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

Form Date: 2020-01-22

END OF SAFETY DATA SHEET