

### **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name Product Code Product Class Recommended use Restrictions on use

PROTEC SATIN ALKYD EMULSION .9700 WATER THINNED PAINT Paint No information available

Manufacturer Vista Paint Corporation 2020 E. Orangethorpe Ave. Fullerton, CA 92831 (714) 680-3800

Emergency Telephone Number(s): (800) 535-5053 (Infotrac)

2. HAZARD(S) IDENTIFICATION		
GHS Pictograms:		
Signal Word:	Warning	
GHS Classifications:	Eye Irritation Skin Irritation	Category 2A Category 2
Hazard Statements:	H319 - Causes ser H315 – Causes ski	
Precautionary Statements:	P264 – Wash hand P273 – Avoid relea: P280 – Wear protec P285 – In case of ir <u>Response</u> P301 + P310 – IF S doo P320 + P352 – If or P332 + P313 – If sk P362 + P364 – Tak P305 + P351 + P33 mir Co	before use. hing dust/fume/gas/mist/vapors/spray. s thoroughly after handling. se to the environment. ctive gloves / eye protection / face protection. hadequate ventilation wear respiratory protection. WALLOWED: Immediately call a POISON CENTER or ctor/physician. n skin: Wash with plenty of water kin irritation occurs: Get medical advice/attention. e off contaminated clothing and wash it before reuse. B8 – IF IN EYES: Rinse cautiously with water for several hutes. Remove contact lenses, if present and easy to do. ntinue rinsing. //e irritation persists: Get medical advice/attention

#### <u>Disposal</u>

**P501 –** Dispose of contents/container in accordance with local/state/federal regulations.

HNOC:	Not Applicable

Other information:

No information available

## **3. COMPOSITION INFORMATION ON COMPONENTS**

Hazardous Component	CAS Number	<u>Weight %</u>
Titanium Dioxide	13463-67-7	16.87

### 4. FIRST AID MEASURES

General Advice:	No hazards which require special first aid measures.
Eye Contact:	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact:	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation:	Move to fresh air. If symptoms persist, call a physician.
Ingestion:	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
Most Important Symptoms/Effects:	None known.
Notes To Physician:	Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Protective Equipment And Precautions For Firefighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Specific Hazards Arising From The Chemical:	Closed containers may rupture if exposed to fire or extreme heat

# 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** 

Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

Other Information:	Prevent further leakage or spillage if safe to do so.
Environmental Precautions:	See Section 12 for additional Ecological Information.
Methods For Clean-Up:	Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

#### 7. HANDLING AND STORAGE

Handling:Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray<br/>mists or sanding dust. In case of insufficient ventilation, wear suitable<br/>respiratory equipment.Storage:Keep container tightly closed. Keep out of the reach of children. Keep from<br/>freezing.

Incompatible Materials: No information available

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits			AGCIH	c	OSHA Expo	sure Limit	s	
REPORTABLE COMPONENTS	CAS NUMBER	%WT	LV/TWA PPM	TV PPM	VA .	STI PPM		Vapor Pressure mm Hg @20° C
Titanium Dioxide	13463-67-7	16.87	10	-	10	-	-	-
Eye/Face Protection:	Safe	ety glasses	with side-	-shields	3.			
Skin Protection	Prot	ective glov	es and im	ipervioi	us clothing	g.		
Respiratory Protection	Whe resp	en sanding	or abradir oved by N	ng the o IIOSH/I	dried pain MSHA for	t film, we <sup>.</sup> dust wh	ar a du ich may	be generated
Engineering Measures:	Ens	ure adequa	ate ventila	tion, es	pecially i	n confine	d areas	
Hygiene Measures:		id contact v taminated o				•		vash er handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odor Odor Threshold pH Freezing Point (°F) Boiling Point (°F) Flash Point (°F) Flash Point (°F) Flash Point Method Evaporation Rate Product Name: PROTEC SATIN ALKYD EMULSION of 7 Product Code: .9700 Liquid Little or no odor No information available No information available 32 °F 212 °F Not applicable Not applicable No information available

Vista Paint Corporation Page 3

Flammability (solid, gas) Upper Explosion Limit Lower Explosion Limit Vapor Pressure	Not applicable Not applicable Not applicable No information available
Vapor Density	No information available
Density (lbs./gal)	10.55
Specific Gravity	1.27
Solubility Water Solubility	No information available No information available
Water Solubility Partition Coefficient (n-octanol/water)	No information available
Autoignition Temperature (°F)	No information available
Decomposition Temperature (°F)	No information available
Viscosity (cps)	No information available
Wt. % Solids	49.90
Vol. % Solids	36.93
Wt. % Volatiles	50.10
Vol. % Volatiles	63.07
Coating VOC	7.94 g/l
Material VOC	2.96 g/l

# **10. STABILITY AND REACTIVITY**

Reactivity	Not Applicable
Chemical Stability	Stable under normal conditions.
Possibility Of Hazardous Reactions	None under normal conditions of use.
Conditions To Avoid	Prevent from freezing
Incompatible Materials	No materials to be especially mentioned.
Hazardous Decomposition Products	None under normal use.

**11. TOXICOLOGICAL INFORMATION** 

Principal Routes of Exposure:	Eye contact, skin contact and inhalation.
Acute Toxicity:	No information available
Symptoms	No information available
Eye contact	May cause slight irritation.
Skin contact	Substance may cause slight skin irritation. Prolonged or repeated contact may dry skin and cause irritation.
Inhalation	May cause irritation of respiratory tract.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Sensitization:	No information available
Neurological Effects	No information available.
Mutagenic Effects	No information available.
Reproductive Effects	No information available.
Developmental Effects	No information available.
Target Organ Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Other adverse effects	No information available.
Aspiration Hazard	No information available
Carcinogenicity	No information available

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity Effects	The environmental impact of this product has not been fully investigated.
Acute Toxicity to Fish	No information available
Acute Toxicity to Aquatic Invertebrates	No information available
Acute Toxicity to Aquatic Plants	No information available
Persistence / Degradability	No information available
Bioaccumulation / Accumulation	No information available
Mobility in Environmental Media	No information available
Ozone	No information available

### **13. DISPOSAL CONSIDERATIONS**

Waste Disposal Method

Dispose of in accordance with federal, state, provincial, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.

## **14. TRANSPORT INFORMATION**

Product Name: PROTEC SATIN ALKYD EMULSION of 7 Product Code: .9700 Vista Paint Corporation

DOT	Not regulated
ICAO / IATA	Not regulated
IMDG / IMO	Not regulated

# **15. REGULATORY INFORMATION**

#### International Inventories

TSCA: United States	Yes - All components are listed or exempt.
DSL: Canada	Yes - All components are listed or exempt.

#### Federal Regulations

#### SARA 311/312 hazardous categorization

Please refer to Section 2 of the SDS for the appropriate EPCRA 311/312 hazard categories.

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). If listed in the table below, this product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number
None	None

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

Unless listed below, this product does not contain HAPs at 1% or 0.1% or greater. Refer to Section 3 for HAP weight percentage:

<u>Chemical Name</u> None CAS Number None

#### State Regulations

#### California Proposition 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm at levels less than required for reporting (<0.1%) unless listed in Section 3.

16. OTHER INFORMATION							
<u>HMIS</u>	Health: 1*	Flammability: 0	Reactivity: 0	PPE: X			
<u>NFPA</u> :	Health: 1	Flammability: 0	Instability: 0				
Prepared	Ву	<b>Vista Paint Co</b> 2020 East Ora Fullerton, CA (714) 680-380	ngethorpe Avenue 92831				
Print Date	<b>)</b> :	07/05/2023					
Product Name: of 7	PROTEC SATIN ALK	YD EMULSION		Vista Paint Corporation	Page 6		
Product Code:	.9700						

SDS Revision Date: 06/10/2022

**Revision Summary:** 

Formulation change

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

Form Date: 2021-04-01

**END OF SAFETY DATA SHEET**